

Chandelle™ CATALOGUE





LUNE BRILLANTE

TABLE OF CONTENTS

01 ABOUT US
Discover the power of content creation, set goals, and embrace the digital landscape.

02 AT A GLANCE
Discover the power of content creation, set goals, and embrace the digital landscape.

**03 MODULE B
RECESSED
DOWNLIGHT**

**04 MONTIR
RECESSED
DOWNLIGHT**

**05 LUXE+ LEGO
MODULAR
LIGHT**

**06 SURFACE
MOUNTED
EYEBALL**

**07 RING
DOWNLIGHT**

**08 MODULE H
RECESSED
GRILLE**

**09 MODULE H
RECESSED
RING**

**10 VELAR GLOW
PENCIL LIGHT**

**11 NOVA
GLIDE LIGHT**

**12 LUME
ELITE LIGHT**

**13 LUXORA
INTEGRATED
DOWNLIGHT**

**14 MINI
TELESCOPIC
DOWNLIGHT**



15 CONTACT US
Discover the power of content creation, set goals, and embrace the digital landscape.

CONCEPT BEHIND


At **Lune Brillante**, we bring lighting innovations to life with our sophisticated collections. With over 14 years of experience in architectural lighting for interiors, we are renowned for bespoke solutions tailored to customer needs.

Our signature and classic lighting options offer timeless appeal and emotional connections. Beyond our products, we provide end-to-end lighting consultancy, an inspiration gallery, and educational content. Visit our minimalist studio in central Singapore for a curated, immersive shopping experience where your comfort is our priority.





AT A GLANCE



Chandelle™

Module B Ring

Engineered comfort through
thoughtful lighting



**Timeless form.
Thoughtful light.**

The Chandelle LED Adjustable Recessed Downlight features a classic circular design with an interchangeable reflector in multiple colors for a modern touch. Made from high-quality aluminum, it ensures optimal heat dissipation for consistent performance.

www.lunebrillante.sg

+

lunebrillante

Classic form meets modern ambience

A timeless design paired with tunable light, creating warmth and balance in every space.




Each configuration maintains the same visual language, allowing designers to scale lighting layouts without disrupting ceiling harmony.

Tunable & Dimmable Options Available
Adaptable to different moods, functions, and times of day.

AVAILABLE REFLECTOR COLORS




Chandelle™



Designed to adapt. Built to perform.

Whether used as a standalone accent or arranged in rhythmic sequences, Module B Ring provides lighting that is both technically confident and visually restrained.




Chandelle™ MODULE B RING RECESSED MOUNTED DOWNLIGHT

Power : 10W
Voltage : AC220-240V
Lumen : 90-110LM/W
Light Colour : Dimmable + Tunable
Beam Angle : 60°

LED Driver : RX TUYA BLUETOOTH
MESH Driver Material : ALUMINIUM
Reflector : BLACK GLOSSY | BLACK MATTE | GOLDEN | MIRROR | SILVER | WHITE
Dimension : 0.80 X 100 MM
Cutout Size : 0.85MM

REPLACEABLE COB MODULE

Power : 10W
Voltage : AC220-240V
Lumen : 90-110LM/W
LIGHT COLOUR: WARM WHITE, COOL WHITE, DAYLIGHT, TUNABLE WHITE
CCT: Dimmable + Tunable
LED Chipset: PHILIPS COB
DIMENSION: 0.50 X 71 MM
IP Rating : IP20 (Non Waterproof)



Chandelle™

Montir

A refined expression
of architectural precision.



**Purposeful. Precise.
Architectural.**

Designed for spaces that demand clarity, control, and visual discipline, Montir is a surface-mounted downlight system defined by its clean geometry and high-performance optics.

www.lunebrillante.sg

+

Chandelle™
Montir

Montir

Surface Mounted Downlight

Structured. Composed. Architectural.

Shapes light through controlled optics while asserting a clear, intentional presence on the ceiling plane. Designed for spaces where form and function must coexist in balance. Good for Focused illumination, Ceiling rhythm, Architectural accents and Spatial clarity


- Controlled beam distribution
- Excellent visual comfort
- Consistent output across configurations



Architectural Form, Honest Geometry


Montir is shaped as a solid rectilinear volume, intentional, calm, and uncompromising. Its form integrates seamlessly into contemporary interiors, from refined residential spaces to commercial and hospitality environments.

The recessed optics within the block housing create visual depth while ensuring excellent glare control, allowing the light to remain the focus, not the fixture.



High-Precision Lighting System

Single or multi-slot configurations allow linear or clustered layouts, aligned to architectural rhythm.



Each configuration maintains the same visual language, allowing designers to scale lighting layouts without disrupting ceiling harmony.

Tunable & Dimmable Options Available
Adaptable to different moods, functions, and times of day.

AVAILABLE IN SINGLE OR MULTI-HEAD OPTIONS




www.lunebrillante.sg

Chandelle™



Designed for Demanding Spaces

Whether used as a standalone accent or arranged in rhythmic sequences, Montir provides lighting that is both technically confident and visually restrained.



Chandelle™ MONTIR SURFACE MOUNTED DOWNLIGHT

Power : 5w, 10w, 15w
Voltage : 200-240V
Lumen : 450
Beam Angle : 30° Adjustable
IP Rating : IP20
CCT : Tunable 2700K-6500K
Driver : Smart 0-10V Dimmable


Product Size (in mm) :
Single Head : 10 * 10 * 10
Double Head : 10 * 10 * 20
Triple Head : 10 * 10 * 30

Material : Aluminium
Available Color : White, Black

✉ sales@lunebrillante.sg

☎ +6593809785

📍 531 Upper Cross Street 03-02.Hong Lim Complex, 050531 SINGAPORE



www.lunebrillante.sg

Chandelle™

LUXE + LEGO LIGHT


Modular Recessed Lighting System
40mm High Brightness




Designed as architecture.

A modular recessed lighting system designed as an architectural element precise, seamless, and adaptable, integrating light naturally into space.

 www.lunebrillante.sg



LEGO LIGHT



LUXE - A

Fixed Downlight
Calm. Balanced. Controlled.

Designed for uniform illumination where consistency and visual quietness are essential. Good for *General lighting, Repetitive layouts, Architectural rhythm.*



LUXE - C

Adjustable Spotlight Module
Flexible. Focused. Purposeful.

Allows light to be directed precisely without disrupting the ceiling language. Good for *Feature walls, Art Objects, Adjustable emphasis*



LUXE - B

Fixed Directional Downlight
Defined. Intentional. Architectural.

Shapes light with precision while maintaining a disciplined ceiling expression. Good for *Accents, Spatial definition, Visual hierarchy*



LUXE - D

Soft Lens Module
Gentle. Diffused. Atmospheric.


Creates a softer light presence for spaces that require visual comfort and restraint. Good for *Ambient layers, Circulation areas, Calm environments.*

Not a Fixture, But as System.

LUXE+ Lego Light is a modular recessed lighting system designed to work with architecture, not against it.

Interchangeable modules.
Consistent ceiling language.
Freedom to adapt as design evolves.

Lighting becomes part of the ceiling composition,
not an afterthought.



One System, Multiple Expressions

Single or multi-slot configurations allow linear or clustered layouts, aligned to architectural rhythm.



Luxe+ Trimless

Plaster-In Housing
Flush. Quiet. Seamless.

Integrated within the ceiling plane for a continuous, uninterrupted finish.

Product Size (in mm) :

External

Double Head : 98 * 53 * 55

Triple Head : 142 * 53 * 55

Quad : 186 * 53 * 55

Internal

Double Head : 90 * 45 * 55

Triple Head : 134 * 45 * 55

Quad : 178 * 45 * 55

Luxe+ Trim

A Precise Edge Clear Architectural Definition

Designed to articulate the ceiling plane with clarity and precision.

Product Size (in mm) :

External

Double Head : 108 * 63 * 55

Triple Head : 152 * 63 * 55


Quad : 196 * 63 * 55

Internal


Double Head : 90 * 45 * 55

Triple Head : 134 * 45 * 55

Quad : 178 * 45 * 55



AVAILABLE IN 2-4 SLOT OPTIONS




Chandelle™



Architectural Clarity at Scale

From individual spaces to entire developments, Luxe+ Lego Light delivers consistency, flexibility, and control. Designed for residential developments, show units, hospitality, and mixed-use spaces.



Chandelle™ LUXE+ LEGO MODULAR RECESSED DOWNLIGHT

Power / Voltage : 5W / 200-240V
Lumen : 450
Beam Angle : 50°
IP Rating : IP20
LED Chipset : Cree COB
CCT : Tunable 2700K-5800K
Driver : Smart 0-10V Dimmable
Material : Aluminium + PC Baffle

Product Size (in mm) :
Luxe-A : 44.3 * 44.3 * 55
Luxe-B : 44.3 * 44.3 * 80.3
Luxe-C : 44.3 * 44.3 * 119
Luxe-D : 44.3 * 44.3 * 63


Frame : 64 * 64 * 55.5
Cutout : 60 * 55 mm

✉ sales@lunebrillante.sg

☎ +6593809785

📍 531 Upper Cross Street 03-02.Hong Lim Complex, 050531 SINGAPORE

www.lunebrillante.sg



Chandelle™

Surface Mounted Eyeball

Designed
for flexibility and control



**Timeless form.
Thoughtful light.**

combines a sculptural form with precise adjustability
bringing focused illumination and refined character to
modern interiors.

www.lunebrillante.sg

+


lunebrillante

Chandelle™



Warm Illumination. Refined Presence

Engineered for clarity and control, Chandelle™ Surface Mounted Ring Downlight provides adjustable, glare-reduced lighting ideal for highlighting architectural features and interior details.



Chandelle™ SURFACE MOUNTED EYEBALL

Power : 12 W (Triac Dimming)

Voltage : AC100-240V

Lumens : 900LM

Light Colour : Warm White

Beam Angle : 38

Material : Aluminium


Dimension : 110 X 82.5 MM

✉ sales@lunebrillante.sg

☎ +6593809785

📍 531 Upper Cross Street 03-02.Hong Lim Complex, 050531 SINGAPORE

www.lunebrillante.sg



Chandelle™

Ring Downlight

Engineered for clarity and control



Designed to deliver focused illumination

Chandelle™ Surface Mounted Ring Downlight features a refined cylindrical form with a recessed ring that delivers soft, controlled illumination. Its adjustable direction allows precise lighting placement while maintaining a clean and architectural ceiling profile.

www.lunebrillante.sg

+


Chandelle™

Chandelle™



Warm Illumination. Refined Presence

Engineered for clarity and control, Chandelle™ Surface Mounted Ring Downlight provides adjustable, glare-reduced lighting ideal for highlighting architectural features and interior details.



Chandelle™ SURFACE MOUNTED RING DOWNLIGHT

Power : 10W

Voltage : AC220-240V, 50/60HZ

Lumen : 80LM/W

Light Colour : COOL WHITE, DAY LIGHT, WARM WHITE

Material : ALUMINIUM

Housing Option : BLACK WITH BLACK RIM, WHITE WITH WHITE RIM, BLACK WITH GOLD RIM, WHITE WITH GOLD RIM

Dimension : 100 X 100 MM


IP Rating : IP20

✉ sales@lunebrillante.sg

☎ +6593809785

📍 531 Upper Cross Street 03-02.Hong Lim Complex, 050531 SINGAPORE

www.lunebrillante.sg



Chandelle™

Module H Grille

Flexible sizes. Consistent light.



**Reliable lighting,
designed to adapt.**

Designed as a versatile modular system, H GRILLE adapts effortlessly from simple single modules to heavy-duty triple configurations providing dependable illumination across a wide range of applications.

www.lunebrillante.sg

+

Chandelle™
Module H
Grille

Chandelle™



Built modular. Designed to perform.

A modular recessed lighting system offering consistent illumination, flexible configurations, and dependable performance designed for everyday architectural lighting needs.


Chandelle™ MODULE H GRILLE RECESSED MOUNTED DOWNLIGHT

Material : ALUMINIUM
Reflector :
BLACK GLOSSY | BLACK MATTE |
GOLDEN | MIRROR
| SILVER | WHITE
Housing :
WHITE FRAME AND BLACK
INNER

Single Head
Dimension : 100 X 100 X 100 MM
Cutout Size : 90 X 90 MM


Double Head
Dimension : 185 X 100 X 100 MM
Cutout Size : 175 X 90 MM

Triple Head
Dimension : 270 X 100 X 100 MM
Cutout Size : 260 X 90 MM



REPLACEABLE COB MODULE

Power : 10W
Voltage : AC220-240V
Lumen : 90-110LM/W
LIGHT COLOUR: WARM WHITE, COOL WHITE, DAYLIGHT,
TUNABLE WHITE
CCT: Dimmable + Tunable
LED Chipset: PHILIPS COB
Dimension: 0.50 X 71 MM
IP Rating : IP20 (Non Waterproof)



Chandelle™

Module H Ring

Versatile. Seamless. Effortless.



**Versatile lighting,
designed to be
effortless.**

Designed as a versatile modular system, H RING delivers precise architectural lighting with Smart Control. Adjusts effortlessly across different brightness and colour temperature to suit different moods and Environments.

www.lunebrillante.sg

+


Smart
Control

Chandelle™



Built modular. Designed for versatility.

A modular recessed lighting system offering consistent illumination, flexible configurations, and dependable performance designed for everyday architectural lighting needs.




Chandelle™ MODULE H RING RECESSED Mounted Downlight

Power : 10W
Voltage : AC220-240V
Lumen : 90-110LM/W
Light Colour: WARM WHITE, COOL WHITE, DAYLIGHT, TUNABLE WHITE
CCT: Dimmable + Tunable
Material : ALUMINIUM
Housing : WHITE FRAME AND BLACK INNER
Dimension: 0.93 X 100 MM
IP Rating : IP20 (Non Waterproof)

REPLACEABLE COB MODULE

Power : 10W
Voltage : AC220-240V
Lumen : 90-110LM/W
LIGHT COLOUR: WARM WHITE, COOL WHITE, DAYLIGHT, TUNABLE WHITE
CCT: Dimmable + Tunable
LED Chipset: PHILIPS COB
DIMENSION: 0.50 X 71 MM
IP Rating : IP20 (Non Waterproof)



Chandelle™

Velar Pencil Light

Minimal form. Maximum atmosphere.



**Concealed form.
Expressive light.**

Velar Glow Light is designed to disappear into the ceiling while allowing light to take center stage. Its concealed form delivers focused illumination with a refined glow, enhancing spaces through subtlety and intention.

www.lunebrillante.sg

+

Chandelle™
Velar
Pencil
Light


Chandelle™



Z

Subtle presence. Distinctive light.

With a sleek, recessed profile, Velar Glow Light blends seamlessly into ceilings, providing controlled illumination that highlights specific areas without disrupting the overall architectural language.



Chandelle™ RECESSED DOWNLIGHT VELAR GLOW

Power : 5 / 9 / 12 W

Voltage : AC220 / 50 Hz

Lumen : 80LM/W

Material : ALUMINIUM

Housing Option : WHITE

Dimension : 43x72 / 53x84 / 63x89 MM

CCT : 2700-5000K


Beam Angle : Adjustable Beam Angle 5° - 50°

✉ sales@lunebrillante.sg

☎ +6593809785

📍 531 Upper Cross Street 03-02. Hong Lim Complex, 050531 SINGAPORE

www.lunebrillante.sg



Chandelle™

Nova Glide Light

Precision that moves with you.



**Designed to glide.
Built to focus.**

Nova Glide Light is a recessed downlight engineered for precision and flexibility. Its smooth glide mechanism allows effortless adjustment, delivering focused illumination exactly where it's needed while maintaining a clean, modern ceiling profile.


www.lunebrillante.sg

Chandelle™



Adjustable light, effortless precision.

With its sleek recessed form and flexible angling capability, Nova Glide Light adapts easily to changing lighting needs. Multiple reflector finishes further enhance its ability to complement a wide range of interior styles.



Chandelle™ RECESSED DOWNLIGHT NOVA GLIDE

Power : 8 - 24 W

Voltage : AC220 - 50Hz

Material : ALUMINIUM

Housing Option : BLACK, WHITE GLOSSY, WHITE MATTE, ROSE GOLD, AND GOLD

Dimension : 110X88 | 110X115 | 45X98 | 145X124 | 172X116 | 110X143 MM

CCT : 2700 - 5000K

Beam Angle : 15 | 24 | 36 | 55°

Cutout : 60 | 80 | 100


AVAILABLE IN 5 HOUSING COLOUR OPTIONS




WHITE MATTE



WHITE GLOSSY



ROSE GOLD



GOLD



BLACK

www.lunebrillante.sg

Chandelle™

Lume Elite Light

Quiet elegance in every detail.



Refined light for modern living.


Lume Élite Light is a refined downlight designed to elevate modern interiors through simplicity and performance. Its clean, minimalist form integrates seamlessly into a wide range of interior styles, delivering illumination that feels effortless and composed.

www.lunebrillante.sg

+


Chandelle™
Lume
Elite
Light

Chandelle™



Designed to blend. Built to shine.

With a sleek recessed profile, Lume Élite Light blends naturally into different ceiling designs and colour palettes. Its versatile design makes it an ideal lighting solution for contemporary spaces seeking clarity and balance.



Chandelle™ RECESSED DOWNLIGHT LUME ELITE

Power : 3W

Voltage : AC220 / 50Hz

Material : ALUMINIUM

Housing Option : BLACK, WHITE, SILVER, AND GOLD

Dimension : 38 X 31 MM

CCT : 2700 - 5000K

Beam Angle : 24°

AVAILABLE IN 4 HOUSING COLOUR OPTIONS




WHITE



SILVER



BLACK



GOLD

www.lunebrillante.sg

Chandelle™

Luxora Trimless

Seamless light. Architectural clarity.



**Pure lines.
Refined illumination.**

Luxora Integrated Trimless is crafted for spaces that value architectural purity. Its trimless design blends seamlessly into ceilings, delivering refined illumination that enhances form and space without visual interruption.

www.lunebrillante.sg




Chandelle™



Invisible form. Intentional light.

With its integrated trimless construction, Luxora offers a refined lighting solution that complements high-end residences, executive offices, and contemporary commercial spaces—where detail and restraint matter most.



Chandelle™ LUXORA INTEGRATED TRIMLESS VERSION

Power : 2W / Hole

Voltage : AC220 / 50Hz

Material : ALUMINIUM

Housing Option : (1/3/5 HOLE)

Colour : WHITE

Dimension : 40 x 43 x (43 / 100 / 162) MM

CCT : 2700 - 5000K

Beam Angle : 30°

AVAILABLE IN 3 SIZE OPTIONS



www.lunebrillante.sg

Chandelle™

Luxora Trim

Precision lighting, clearly defined.




Defined edges. Refined illumination.

Luxora Integrated Trim Version is a refined architectural lighting solution designed for precision and control. Its recessed form integrates seamlessly into modern interiors, delivering powerful illumination with a clean, defined edge.


www.lunebrillante.sg

Chandelle™



Architectural light with intention.

With its precise trim detailing and robust illumination, Luxora Integrated Trim Version offers a high-end lighting solution that enhances modern interiors through balance, control, and visual discipline.



Chandelle™ LUXORA INTEGRATED TRIM VERSION

Power : 2W / Hole

Voltage : AC220 / 50Hz

Material : ALUMINIUM

Housing Option : (1/3/5 HOLE)

Colour : WHITE

Dimension : 40 x 43 x (43 / 100 / 312) MM

CCT : 2700 - 5000K

Beam Angle : 30°

AVAILABLE IN 3 SIZE OPTIONS



www.lunebrillante.sg

Chandelle™

Mini Telescopic

Precision that moves discreetly.



**Designed to extend.
Built to focus.**


Mini Telescopic Light is an advanced architectural downlight designed for precision and flexibility. Its retractable cylindrical body allows directional illumination while maintaining a clean, discreet ceiling appearance.

www.lunebrillante.sg

+


lunebrillante

Chandelle™



Adjustable depth. Architectural clarity.

Designed to deliver focused illumination with visual restraint, Mini Telescopic Light extends smoothly from the ceiling to direct light where needed then retracts seamlessly back into place.




Chandelle™ MINI TELESCOPIC

Power : 8W
Voltage : DC185-265V
Material : ALUMINIUM
Colour : WHITE | BLACK
Dimension : 85 x H115 mm
CCT : 2700/ 3000/ 4000/ 6500K
Beam Angle : 15/ 24/ 36°

AVAILABLE IN 2 COLOUR OPTIONS



www.lunebrillante.sg



Contact Us

Whatsapp : +(65) 9191 7560

Email : sales@lunebrillante.sg

Website : <https://lunebrillante.sg/>

Address

531 Upper Cross Street 03-02,
Hong Lim Complex, Singapore 050531

Operation Hours

Monday - Friday 10am - 6pm

Saturday 10am - 5pm

Sunday 10am - 4pm

Closed on public holiday

